## PERMIT TO USE THE DIAMOND MARK OF QUALITY THE STANDARDS ACT (CAP. 496)

## PERMIT IS GRANTED TO :

SURGE ENERGY LIMITED NAME OF FIRM:

EMAIL: admin@surge.energy

PERMIT NO. 1139

EFFECTIVE FROM 2022-11-10

POSTAL ADDRESS

PHYSICAL ADDRESS

**EXPIRES ON** 

2025-11-09

KISAJU, KAJIADO

DATE OF ISSUE 2022-11-10

To use the Diamond mark of quality specified in the first column of the appendix hereunder upon and in respect of the commodity and brand specified in the second and third column there of, which conform to the standard specification in the fourth column.

## **APPENDIX**

1	2	3	4
DIAMOND MARK OF QUALITY	DESCRIPTION OF THE COMMODITY UPON WHICH THE DIAMOND MARK IS TO BE USED	BRAND NAMES	STANDARD SPECIFICATION OF THE COMMODITY
NEEDS	REFILLABLE WELDED STEEL GAS CYLINDER	SURGE ENERGY	KS ISO 4706: 2008 KENYA STANDARD REFILLABLE WELDED STEEL GAS CYLINDERS.
	KEBS KEBS KEE KEBS KEBS KEE	KEBS KEBS KEBS KEBS	KEBS KEBS KE
DIAMOND MARK OF QUALITY  IMMEDITY SECTIONS  SECTION  INC. TO SECTION  INC.	KEBS // KEBS	S KEBS	KEBS KEBS KI
S KEDO MEDS	KEB - (K6	KEBS	KEBS KEBS KI
E KEBS KEBS	ARGES.		KEBS KEBS K

NOTE: 1. EVERY DIAMOND MARK HOLDER SHALL PAY AN ANNUAL FEE IN RESPECT OF EACH PERMIT GRANTED OR RENEWED

2. THIS PERMIT IS ISSUED SUBJECT TO THE CONDITIONS SET OUT IN THE CONTRACT FOR USE OF THE DIAMOND MARK OF QUALITY

MANAGING DIRECTOR / AUTHORIZED OFFICER

KENYA BUREAU OF STANDARDS





Kenya Bureau of Standards